

THE PATENT & TRADEMARK OFFICE MAILROOM DATE
STAMPED HEREON IS AN ACKNOWLEDGEMENT THAT ON THIS
DATE THE PATENT & TRADEMARK OFFICE RECEIVED:

Transmittal in duplicate; Amendment in response to Office Action mailed
April 3, 2003 (13 pages); Formal Drawings (1 sheet FIGS 1 and 2)

Invention:	SELF-PRIMING DIALYSIS FILTER
Applicant(s):	LeVoy G. Haight
Filing Date:	February 26, 2001
Serial No.:	09/763,903
Date Sent:	July 3, 2003 via first class mail
Docket No.:	1950-3746.1US
LBB/dh	





OFFICIAL

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

LeVoy G. Haight

Serial No.: 09/763,903

Filed: February 26, 2001

For: SELF-PRIMING DIALYSIS FILTER

Confirmation No.: 3546

Examiner: S. Kim

Group Art Unit: 1723

Attorney Docket No.: 1950-3746.1US

RECEIVED
CENTRAL FAX CENTER

NOV 06 2003

CERTIFICATE OF MAILING

I hereby certify that this correspondence along with any attachments referred to or identified as being attached or enclosed is being deposited with the United States Postal Service as First Class Mail on the date of deposit shown below with sufficient postage and in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

July 3, 2003
Date

Signature

Darlene Holt
Name (Type/Print)AMENDMENT

Mail Stop Non Fee Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The following amendments and remarks are filed in response to the Examiner's remarks in the Office Action mailed 3 April 2003, the three-month shortened statutory period for response will expire on 3 July 2003.

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Amendments to the Drawings appear on page 11 of this paper.

Remarks begin on page 12 of this paper.